ACTIVE REFRIGERATION FOR SPACE ASTROPH YSICS MISSIONS

1'. Wade

Jet Propulsion Laboratory California Institute Of Technology 4800" Oak Grove Drive Pasadena, CA USA 91109

The use of cryogen dewars limits mission lifetime, increases sensor mass, and increases program engineering and launch costs on spacebased low-background, precision-point ing instruments, telescopes and interferometers. The recent development of long-life mechanical and sorption compressor driven J-T coolers capable of refrigeration to temperatures below 2.5 Kel vin, combined with the innovative use of cryogenic radiators and thermally advantageous orbits, is enabling, long duration (>5 years) missions that can perform high resolution infrared and sub-mm wave. astronomical observations. In addition, it is clear that the low mass and input power requirements associated with several of these lonp,-life cooling techniques could lead to the development of a new class of small, inexpensive, space observatories.

The design, and component performance test results, of a brassboard 10 K cooler for such an application is discussed. The development of this cooler will be completed later this year. It is intended that this refri~,c.rater will be integrated with a 5 to 30 micron camera being developed at J Pl, for astronomical observations. The result ing Long Life Infrared Observational System consists of a test bed cooler, mid-1}< camera within a dewar, and power control and readout electronics. Demonstrating integrated operation through ground-based ast ronomical imaging will validate the compatibility of the involved technologies and alleviate concerns such as temperature stability, vibration and emi for future spaceborne applications. A cooler, based on this design can be constructed for flight missions which provides 10 mW of continuous refrigeration with an input power of less than 1() watts and a mass of six kg.

Larry Wade JP1. M/S 233-105 4800 Oak Grove 1 Drive Pasadena, CA 91 109 Phone: (818) 354-227? IAX: (818)393-4206

1'refer Oral Session